



◆ 其他应用案例 Others Application Case ◆



Name 工艺名称	应用工艺 Application Process		Industry 应用行业	Steering wheel etc. 方向盘等贴面
	Profile Surface Decro	异型贴面		
Process Description 工艺说明	Soften the celluloid sheet in a sealed box with acetone. Brush acetone adhesive on the steering wheel, after drying, use sandpaper to process the head. Finally, brush a layer of acetone in the sun, make it shine. 将赛璐珞片放入装有丙酮的密封箱内变软，在方向盘上边刷丙酮边粘胶片，待烘干后用砂纸加工接头处，最后在阳光下刷一层丙酮，使它发亮。			

赛璐珞 装饰板材  
Celluloid sheet

◆ 彩色珍珠系列 Colored Pearloid Series ◆




Material 产品材质	规格参数 Specification Parameter		
	Nitrocellulose 硝化棉	Thickness 厚度/mm	0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		




Model: Y1022-25      Model: Y1022-30      Model: Y1022-30A      Model: Y1032-30



Model: Y1003-10      Model: Y1003-30      Model: Y1013-10      Model: Y1013-30




Model: Y1004-30      Model: Y1014-10      Model: Y1014-30      Model: Y1024-10



Model: Y1034-30      Model: Y1044-10      Model: Y1084-30      Model: Y1094-30

Material 产品材质	Nitrocellulose 硝化棉	规格参数 Specification Parameter	
		Thickness 厚度/mm	0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		




Model: Y1006-30      Model: Y1016-10      Model: Y1016-30      Model: Y1026



Model: Y1007-30      Model: Y1017-30      Model: Y1027-30      Model: Y1008-30



Model: Y1018-10      Model: Y1018-30      Model: Y1028-15      Model: Y1028-30



Model: Y1078-30      Model: Y2710      Model: Y1023-10      Model: Y1023-30

Material 产品材质	Nitrocellulose 硝化棉	规格参数 Specification Parameter	
		Thickness 厚度/mm	0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		



Model: Y2002

Model: Y2003

Model: Y2004

Model: Y2007



Model: Y2012

Model: Y2032

Model: Y2033

Model: Y2204




Model: H331

Model: Y2019

Model: Y2031

Model: Y3001



Model: Y2036

Model: Y2136

Model: Y2136-A

Model: Y2137

Material 产品材质	Nitrocellulose 硝化棉	规格参数 Specification Parameter	
		Thickness 厚度/mm	0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		



Model: Y2038

Model: Y2039

Model: Y2039-A

Model: Y2040



Model: Y2046

Model: Y2120

Model: Y2133

Model: Y2133-A



Model: Y2101

Model: Y2101-A

Model: Y2101-B

Model: Y2112



Model: Y2013

Model: Y2115

Model: Y2117


Model: Y3202

Material 产品材质	Nitrocellulose 硝化棉	规格参数 Specification Parameter	
		Thickness 厚度/mm	0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		

◆ 贝壳系列 Ocean Shell Series ◆




◆ 单色系列 Monochrome Series ◆



Material 产品材质	规格参数 Specification Parameter	
	Nitrocellulose 硝化棉	Thickness 厚度/mm
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】	

◆ 单色系列 Monochrome Series ◆



Material 产品材质	规格参数 Specification Parameter	
	Nitrocellulose 硝化棉	Thickness 厚度/mm
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】	



Material 产品材质	Nitrocellulose 硝化棉	规格参数 Specification Parameter	
		Thickness 厚度/mm	0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		



Material 产品材质	Nitrocellulose 硝化棉	规格参数 Specification Parameter	
		Thickness 厚度/mm	0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		

◆ 柳条系列 Wicker Pattern Series ◆



Model: H1510      Model: H3102      Model: Y2015      Model: Y2034  
 Model: H2303      Model: H2304      Model: H2403      Model: H2510  
 Model: H2202      Model: H2330      Model: H3235      Model: Y3025  
 Model: H4139      Model: H4140      Model: Y3035      Model: Y3036

Material 产品材质	规格参数 Specification Parameter	
	Nitrocellulose 硝化棉	Thickness 厚度/mm
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】	


◆ 拉丝系列 Drawing Pattern Series ◆



Model: H1303      Model: Y1029      Model: Y2029      Model: Y8401  
 Model: H2075      Model: Y1015      Model: Y2025      Model: Y3136  
 Model: H3117      Model: H3211      Model: H3601      Model: Y2023  
 Model: H3201      Model: H3202      Model: H3203      Model: H3204


Material 产品材质	规格参数 Specification Parameter	
	Nitrocellulose 硝化棉	Thickness 厚度/mm
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】	

◆ 牛肉干系列 Beef Jerky Pattern Series ◆



Model: H1205      Model: H1305      Model: H1305-A      Model: H1306  
Model: H1405      Model: H1605      Model: H1705      Model: H6632

◆ 碎石系列 Gravel Pattern Series ◆



Model: H4032      Model: H4033      Model: H4034      Model: H4035  
Model: Y4031      Model: Y4036      Model: Y4047      Model: Y4135

Material 产品材质	Nitrocellulose 硝化棉	规格参数 Specification Parameter	
		Thickness 厚度/mm	0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		

◆ 碎花系列 Floral Pattern Series ◆




Model: H231      Model: H1301      Model: Y271      Model: Y573  
Model: H241      Model: H274      Model: H371      Model: H372  
Model: H1054      Model: H1055      Model: H571      Model: H572  
Model: H1046      Model: H1047      Model: H1401      Model: Y4009

Material 产品材质	Nitrocellulose 硝化棉	规格参数 Specification Parameter	
		Thickness 厚度/mm	0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		

◆ 碎花系列 Floral Pattern Series ◆



◆ 竖纹系列 Vertical Stripes Series ◆



Material 产品材质	Nitrocellulose 硝化棉	规格参数 Specification Parameter	
		Thickness 厚度/mm	0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		


◆ 斜纹系列 Twill Pattern Series ◆




Material 产品材质	Nitrocellulose 硝化棉	规格参数 Specification Parameter	
		Thickness 厚度/mm	0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		



◆ 箭头系列 Arrowl Pattern Series ◆



◆ 双拼系列 Two Layer Series ◆




Material 产品材质	Nitrocellulose 硝化棉	规格参数 Specification Parameter	
		Thickness 厚度/mm	0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		

◆ 格子系列 Lattice Pattern Series ◆



Material 产品材质	Nitrocellulose 硝化棉	规格参数 Specification Parameter	
		Thickness 厚度/mm	0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		




Model: H3131

Model: H4407

Model: Y5203

Model: Y5204




Model: Y3400

Model: Y3500

Model: Y4800

Model: Y4801




Model: H4302

Model: H4303

Model: H5009

Model: H5240




Model: H5302

Model: Y4005

Model: Y4015

Model: Y5036

Material 产品材质	Nitrocellulose 硝化棉	规格参数 Specification Parameter	
		Thickness 厚度/mm	0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		




Model: H4502

Model: Y3101

Model: Y3105

Model: Y3127



Model: Y4102

Model: Y4103

Model: Y5021

Model: Y8403



Model: H4042

Model: H4205

Model: Y3405

Model: Y8408



Model: Y3027

Model: Y3108

Model: Y4104

Model: Y8407

Material 产品材质	Nitrocellulose 硝化棉	规格参数 Specification Parameter	
		Thickness 厚度/mm	0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		



理石圆桌  
Marble Round Table



理石方桌  
Marble Square Table



理石茶几  
Marble Tea Table



理石电视柜  
Marble TV Cabinet



橱柜  
Cabinets



马赛克吧台  
Mosaic Table



电视背景  
TV Background



油漆溶解  
Paint Dissolves

关于赛璐珞板材  
ABOUT CELLULOID SHEETS

产品种类 APPEARANCE	可呈珍珠光泽：透明、半透、不透；双拼、多拼；单色、花色（含有数种颜色不同、图案不一的花纹）。 Transparent, Translucent, Opaque. Monochrome, Color (including many different kinds of colors and patterns).
产品描述 INTRODUCTION	它是硝化棉为基本原料，加入樟脑及有机溶剂制成的一种热塑性塑料。 Celluloid is used nitro-cotton as the basic raw material, made of camphor and organic solvents, generally considered the first thermoplastic. 它是建筑装饰、家具、饰品、眼镜、乐器制造业的理想材料。 It is an ideal material for building decoration, furniture, ornaments, glasses and musical instruments manufacturing.
产品特性 FEATURES	它具有极好的可塑性，是具有极强立体感的塑料片材及板材。历史悠久，产品美观，被广泛应用。 The utility model has good plasticity, and is a plastic sheet with a strong three-dimensional feeling. With a long history and beautiful products. 它的主要缺点是易燃，遇明火、高热极易燃烧。久晒会逐渐发热，若积热不散会引起自燃。当温度达到180°会缓慢燃烧。 The main disadvantage of this material is that it was flammable, when exposed to temperatures over 180°C. 它质地柔韧，不易折断，并具有色泽鲜艳、花色繁多、闪光性好、有弹性、耐水、耐油、耐酸、强度高、容易加工成形等。 It has bright color, color range, flash is good, transparent, flexible water & oil, alkali resistance, high strength, easy to molding process etc.

Name 工艺名称	Stone Veneer 石材贴面	应用工艺 Application Process	Industry 应用行业	Marble furniture etc. 理石家具等
	Process Description 工艺说明	Apply a proper amount of waterproof glue on the stone surface, Paste the film onto the stone, with a rollers smoothing, Multiple repeatedly brush resin layer thickness of more than 1 mm, after curing ,polishing and waxing. 在石材表面涂刷适量防水胶后，将膜粘贴在石材见光面上，用滚筒滚平，分多次刷涂厚度达1mm以上的树脂层，待固化后打磨抛光以及打蜡处理。		



玳瑁指甲  
Tortoiseshell Nails



拇指拨片  
Thumb Picks



吉他边条  
Guitar Binding



吉他拨片  
Guitar Picks



乐器护板  
Musical Instrument Pickguard



钢琴按键  
Piano Keys



尤克里里护板  
Ukulele Pickguard



吉他护板  
Guitar Pickguard



键盘式手风琴  
Keyboard Type Accordion



键钮式手风琴  
Button Type Accordion



爵士鼓  
Jazz Drums



架子鼓  
Drums

Name 工艺名称	Stamping 机器冲压	应用工艺 Application Process	Industry 应用行业	Musical instrument pick ect. 乐器拨片等
	Process Description 工艺说明	Select a certain thickness of the celluloid sheet, Process the stamping equipment or laser equipment according to the required graphics, Surface polishing treatment after processing. 选取一定厚度的赛璐珞板，在冲压设备或激光设备上按照所需图形进行加工，加工后表面进行抛光处理。		



粒子眼镜框①  
Particle Spectacle Frames



贝壳眼镜框  
Shells Eyeglass Frames



眼镜脚  
Eyeglasses Feet



眼镜腿  
Eyeglasses Legs



格子眼镜框①  
Lattice Eyelasses Frames



格子眼镜框②  
Lattice Spectacle Frames



粒子眼镜框②  
Particle Eyeglasses Frames



手工眼镜框  
Handmade Eyeglasses Frames



玳瑁眼镜框①  
Tortoiseshell Eyeglasses Frames



玳瑁眼镜框②  
Tortoiseshell Spectacle Frames



太阳镜框①  
Sunglasses Frames



太阳镜框②  
Sun Blinkers Frames

Name 工艺名称	Hand Eyeglasses 手工眼镜	应用工艺 Application Process	Industry 应用行业	Eyeglasses frames ect. 眼镜镜框等
Process Description 工艺说明	The celluloid sheet is processed into a frame, then the celluloid frame is soaked in the acetone agent for several seconds (Adjust the time according to the process), removing impurities to increase the transparency and luster. 将赛璐珞板材加工成镜框，再将赛璐珞镜框泡在加热丙酮剂里数秒(根据工艺不同调整时间)，把杂质去除以增加透明度与光泽。			



发夹  
Hairpin



八字夹  
Shaped Hairpin



小发夹  
Small Hairpin



爪夹  
Claw Clip



发饰  
Hair Ornaments



小爪夹  
Small Claw Clip



香蕉夹  
Banana Shape Hairpin



发绳  
Hairband



蝴蝶夹  
Butterfly Shape Hairpin



玳瑁项链  
Tortoiseshell Necklace



金属项链  
Metal Necklace




人造珍珠  
Artificial Pearls

Name 工艺名称	Ornament Processing 饰品加工	应用工艺 Application Process	Industry 应用行业	Lady's accessories 发饰饰品
Process Description 工艺说明	Cut the sheet to the needed size, and then on the hot plate temperature of about 100° softening. After putting in the mould, it is formed through water cooling. 将板材裁成所需大小，再放在温度100°左右的电热板上软化，放入模具后，通过水冷却定型。			

赛璐珞板材新品发布  
NEW RELEASE OF CELLULOID SHEET

◆ 彩色珍珠系列 Colored Peraloid Series ◆



Model: Y1038-30

Model: Y2226

Model: Y2227

Model: Y3322

◆ 贝壳系列 Ocean Shell Series ◆



Model: Y2039-B

Model: Y2043

Model: Y2235

Model: Y2435




Model: Y3079

Model: Y3356

Model: Y3359

Model: Y5133



Model: Y3133

Model: Y3134

Model: Y3234

Model: Y3236

Material 产品材质	Nitrocellulose 硝化棉	规格参数 Specification Parameter	
		Thickness 厚度/mm	0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		

赛璐珞板材新品发布  
NEW RELEASE OF CELLULOID SHEET

◆ 贝壳系列 Ocean Shell Series ◆



Model: Y3220

Model: Y3244

Model: H3247

Model: Y4235



Model: Y3503

Model: Y3504

Model: Y3514

Model: Y3515




Model: Y3516

Model: Y4052

Model: Y4053

Model: Y4054

◆ 牛肉干系列 Beef Jerky Pattern Series ◆



Model: H1307

Model: H1308


Model: H1309

Model: H1706


Material 产品材质	Nitrocellulose 硝化棉	规格参数 Specification Parameter	
		Thickness 厚度/mm	0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		

赛璐珞板材新品发布  
NEW RELEASE OF CELLULOID SHEET

◆ 幻彩系列 Psychedelic Series ◆



◆ 柳条系列 Wicker Pattern Series ◆



Material 产品材质	Nitrocellulose 硝化棉	规格参数 Specification Parameter	
		Thickness 厚度/mm	0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		

赛璐珞板材新品发布  
NEW RELEASE OF CELLULOID SHEET

◆ 碎花系列 Floral Pattern Series ◆




◆ 云彩系列 Cloud Pattern Series ◆



Material 产品材质	Nitrocellulose 硝化棉	规格参数 Specification Parameter	
		Thickness 厚度/mm	0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		

赛璐珞板材新品发布  
NEW RELEASE OF CELLULOID SHEET

◆ 星空系列 Starry Sky Series ◆



Model: H1043

Model: H1044

Model: H2313

Model: H2413



Model: Y2163

Model: Y2417

Model: Y2418

Model: Y3071




Model: Y3072

Model: Y3073

Model: Y5094

Model: Y5095

◆ 格子系列 Lattice Pattern Series ◆



Model: Y4018-4

Model: Y4018-5

Model: Y4140

Model: Y4143

Material 产品材质	Nitrocellulose 硝化棉	规格参数 Specification Parameter	
		Thickness 厚度/mm	0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		

赛璐珞板材新品发布  
NEW RELEASE OF CELLULOID SHEET

◆ 碎石系列 Gravel Pattern Series ◆



Model: H4220

Model: H4221

Model: H4225

Model: H4226

◆ 网状系列 Mesh Pattern Series ◆



Model: Y4044

Model: Y4045

Model: Y4071

Model: Y4072



Model: Y4073

Model: Y4074-3

Model: Y4074-4

Model: Y4074-5



Model: Y4075

Model: Y4076

Model: Y4077

Model: Y4078

Material 产品材质	Nitrocellulose 硝化棉	规格参数 Specification Parameter	
		Thickness 厚度/mm	0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		


## 赛璐珞板材新品发布

NEW RELEASE OF CELLULOID SHEET

### ◆ 网状系列 Mesh Pattern Series ◆



### ◆ 双拼系列 Two Layers Series ◆




Material 产品材质	Nitrocellulose 硝化棉	规格参数	
		Specification Parameter	Thickness 厚度/mm
			0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		

由于拍摄原因，产品颜色请参照实物。九江赛璐珞版权所有，翻版必究。Because the reason of the printing, product color please refer to the object. More information of latest product, please focus on the update from jiujiang celluloid official web.

## 赛璐珞板材新品发布

NEW RELEASE OF CELLULOID SHEET

### ◆ 双拼系列 Two Layers Series ◆



Material 产品材质	Nitrocellulose 硝化棉	规格参数	
		Specification Parameter	Thickness 厚度/mm
			0.17mm - 5.0mm (Optionally 可选)
Size 常规尺寸/mm	Length * Width 长*宽 = 1600*700mm 1400*700mm 1500*900mm 2000*900mm 2400*1200mm 【Customizable 可定制】		

由于拍摄原因，产品颜色请参照实物。九江赛璐珞版权所有，翻版必究。Because the reason of the printing, product color please refer to the object. More information of latest product, please focus on the update from jiujiang celluloid official web.



# PVC及赛璐珞新品应用

## NEW PRODUCTS APPLICATION CASE

{ 荣誉资质 }  
QUALIFICATION HONOR  
扫描下列二维码查看相关信息  
Scan the following QR code to view information



首饰盒  
Jewelry Box



电子烟  
Electronic Smoke



化妆盒  
Dressing Case



汽车商标  
Car Brand



眼镜腿  
Eyeglasses Legs



眼镜脚  
Eyeglasses Earpiece



手机壳  
Mobile Phone Shell



手机套  
Mobile Phone Cover



马赛克  
Mosaic



架子鼓  
Drum Set



爵士鼓  
Jazz Drum



皮带扣头  
Belt Buckle

Name 工艺名称	Film Dissolve 胶片溶解	应用工艺 Application Process	Industry 应用行业	Artificial pearls and paints etc. 人造珍珠及油漆
Process Description 工艺说明	The celluloid, butyl acetate ester, acetone, pearl pigment ingredients such as hydrothermal synthesis reaction. The photocatalyst will be mixed in proportion, it can be used as a coating for artificial pearl coating or as adhesive. 将赛璐珞片、醋酸丁酯、丙酮、珍珠颜料等成份进行水热合成反应得到的光催化剂按比例进行混合，可作为人造珍珠涂层用涂料或作为粘胶剂使用。			



Office Building  
办公楼



Manager's Office  
总经理办



Sales Department  
销售部